



Manfrotto

SUPPORTS FOR BIRDWATCHING
& SPORT OPTICS

2005/06



MANFROTTO, THE WORLD'S LEADER IN SUPPORT FOR BIRDING AND SPORT OPTICS

The world of nature photography and scoping demands rugged equipment that is quick and easy to operate, allowing you to concentrate on nature's beauty. Manfrotto proudly presents the VIEW family: a new range birding and sport optics kits designed to withstand the most extreme environments and to provide you years of trouble-free support. Our VIEW kits have small but important features, such as stainless steel fixings that will never corrode, leg-warmer pads to protect your hands in cold weather, quick-action leg locks to set up the tripod in seconds, and silky-smooth fluid heads to easily track your subject. With over 30 years experience and from listening to our users from every corner of the world, Manfrotto is the world leader in sport optics support and with these latest generation of VIEW kits, we present to you our finest range.

HOW TO CHOOSE THE RIGHT MANFROTTO VIEW KIT

Choosing the right equipment for birdwatching and nature photography can be daunting, so we've designed the following 8 kits to take the guess-work out, guaranteeing you the same superior performance you expect from your high-quality scope, binoculars or camera, providing you a strong yet lightweight support.

There are three easy steps to choose the right support:

- First, it's important to know the weight of your scope or camera. We have two categories of maximum load capacity: 5.5lbs or 8.8lbs.
- Second, you need to determine the maximum height you want the tripod to reach. We have two average heights (this varies depending on the head attached to the tripod): 59.1in or 70.9in.
- Third, you can choose the overall weight of the VIEW kit. We offer you kits with tripods constructed in aluminum or ultra-lightweight carbon fiber, which amounts to a 30% reduction in weight.

1 EQUIPMENT MAXLOAD FROM 1.1 TO 5.5lbs

KITS WITH HEAD 700RC2

For lightweight equipment we recommend the equally light 700RC2 fluid head. It's small and extremely compact yet provides beautifully smooth movements. A quick release plate allows for easy swapping of equipment and quick disassembly.



2 WORKING HEIGHT


78.7in

63in

47.2in

31.5in

15.7in



KIT 700RC2,190MFV

KIT 700RC2,190V

KIT 700RC2,055MFV

KIT 700RC2,055V

3 WEIGHT



LIGHTWEIGHT CARBON FIBER



ALUMINUM



LIGHTWEIGHT CARBON FIBER



ALUMINUM

CONTENTS

| | |
|----------------------|---------|
| Introduction | 2-3 |
| View Kit | 4-5-6-7 |
| Kit accessories | 8 |
| Monopods | 10-11 |
| Alternative supports | 13 |
| Straps and bags | 14 |

KEY TO SYMBOLS



Closed Length



Minimum Height



Maximum Height



Maximum Height with Extended Center Column



Monopod Minimum Height



Monopod Maximum Height



Plate Supplied with the Head



Weight



● Maximum Load Capacity
● All stated maximum load capacity are measured centered on the tripod/head mounting point.


1 EQUIPMENT MAXLOAD FROM 3.3 TO 8.8lbs

KITS WITH HEAD 701RC2

Designed for heavier loads, the 701RC2 is the perfect complement to a spotting scope, camera or even a camcorder. To better accommodate the extra weight the head has a built-in counterbalance spring and a sliding quick release plate so you can perfectly balance your equipment.



2 WORKING HEIGHT



3 WEIGHT



LIGHTWEIGHT CARBON FIBER



ALUMINUM



LIGHTWEIGHT CARBON FIBER



ALUMINUM

Kits with Head 700RC2

Maxload 5.5lbs

Maximum working height: from 58.9 to 60.9in



VIEW CARBON FIBER KIT 700RC2,190MFV



24.6in



19.1in



47.7in



58.9in



4.7lbs



5.5lbs

Compact and lightweight, this is the lightest VIEW kit we offer. This is designed for smaller spotting scopes and cameras and is perfect for long hikes and camping. The kit is comprised of the 700RC2 fluid head and the 190MFV carbon fiber tripod.



VIEW ALU KIT 700RC2,190V



24.6in



19.7in



49.4in



60.9in



5.3lbs



5.5lbs

Similar in height to the 190MFV, this aluminum equivalent provides the same outstanding performance at a slightly higher overall weight. The kit is comprised of the 700RC2 fluid head and the 190V aluminum tripod.

HEAD FEATURES

The head has a fixed length pan bar with soft handle and separate locking mechanisms for the 360° pan and the +90°/-75° tilt. Smooth and constant movements on both axes are assured by a fixed system of fluid cartridges. Equipped with quick release 3157N video plate system with VHS PIN and a secondary safety catch.



1 Tilt Locking Knob 2 Pan Locking Knob 3 Plate Safety Release Knob
4 Quick Release Plate

TECHNICAL SPECIFICATION

| | |
|-----------------------|-----------------------------------|
| Tilt | +90° -75° |
| Tilt Drag | 1 Fixed |
| Independent Tilt Lock | Yes |
| Pan | 360° |
| Pan Drag | 1 Fixed |
| Independent Pan Lock | Yes |
| Pan Handle | 1 |
| Quick Release Plate | Supplied with: 1/4" camera screws |
| Temperature Range | 14° F 140° F |

Kits with Head 700RC2
 Maxload 5.5lbs
 Maximum working height: from 70.3 to 71.5in



VIEW CARBON FIBER KIT 700RC2,055MFV



This is the ideal kit coupling overall light weight with maximum reach. This kit is designed for portability due to its carbon fiber construction and it has the extra reach to get your camera or scope up high. The kit is comprised of the 700RC2 fluid head and the 055MFV carbon fiber tripod.



VIEW ALU KIT 700RC2,055V



Similar in height to the 055MFV kit, this aluminum equivalent provides the same outstanding performance at a slightly higher overall weight. The kit is designed for extreme outdoor use and is comprised of the 700RC2 fluid head and the 055V aluminum tripod.

TRIPOD FEATURES

The carbon fiber and aluminum VIEW tripods share the common features of having four different leg angle options to achieve lower heights; foam rubber padding to protect your hands against the heat and cold; and quick-action leg locks to quickly and quietly set the tripod into position. In addition the carbon fiber and aluminum tripods feature non-glare finishing: the carbon fiber has a natural dark grey finishing, whereas the aluminum is painted with a dark green color.



Four different leg angles (25°, 43°, 73°, 90°).



Two foam rubber leg grips for cold weather use.



Quick-action leg lever lock.



Kits with Head 701RC2
Maxload 8.8lbs
Maximum working height: from 59.1 to 61.1in



VIEW CARBON FIBER KIT 701RC2,190MFV

VIEW ALU KIT 701RC2,190V

-  24.8in
-  19.3in
-  47.9in
-  59.1in
-  5.3lbs
-  7.1lbs

-  24.8in
-  19.9in
-  49.6in
-  61.1in
-  6lbs
-  8.8lbs

This kit offers unbeatable low carbon fiber weight but is topped with the heavy-duty 701RC2 fluid head to support your heavier equipment. The kit is comprised of the 701RC2 fluid head and the 190MFV carbon fiber tripod.

Similar in height to the 190MFV this aluminum equivalent provides the same outstanding performance at a slightly higher overall weight, coupled with the larger 701RC2 fluid head. The kit is comprised of the 701RC2 fluid head and the 190V aluminum tripod.

HEAD FEATURES

The head is one of the most compact and lightweight two way heads found on the market and was designed principally to support the heavier spotting scopes, cameras and digital video equipment. Equipped with a fixed 3.3lbs counterbalance spring and a camera plate attachment made of a touch-and-go/sliding plate which can shift from +15mm to -15mm from the 0 point to deliver a wide range of balancing positions. Fluid drag on the head is fixed. The head has a fixed length pan bar with a soft handle and separate locking mechanisms to the head to adjust it as you like, the sliding quick-release plate system is based on the 3157N equipped with the standard anti-rotation VHS pin.



TECHNICAL SPECIFICATION

| | |
|-----------------------|-----------------------------------|
| Tilt | +75° -70° |
| Tilt Drag | 1 Fixed |
| Independent Tilt Lock | Yes |
| Pan | 360° |
| Pan Drag | 1 Fixed |
| Independent Pan Lock | Yes |
| Counterbalance | Yes |
| Levelling Bubble | Yes |
| Pan Handle | 1 |
| Quick Release Plate | Supplied with: 1/4" camera screws |
| Temperature Range | 4° F 140° F |

1 Tilt Locking Knob 2 Pan Locking Knob 3 Spirit Level 4 Plate Release Lever 5 Quick Release Plate 6 Sliding Top 7 Graduated Scale for Sliding Top 8 Sliding Top Knob

Kits with Head 701RC2
 Maxload 8.8lbs
 Maximum working height: from 70.5 to 71.7in



VIEW CARBON FIBER KIT 701RC2,055MFV



This kit offers the best of both worlds: tall and lightweight carbon fiber legs with the feature-packed, heavy-duty 701RC2 fluid head. The kit is comprised of the 701RC2 fluid head and the 055MFV carbon fiber tripod.



VIEW ALU KIT 701RC2,055V



Similar in height to the 055MFV kit, this aluminum equivalent provides the same outstanding performance at a slightly higher overall weight. The kit is designed for extreme outdoor use and is comprised of the 701RC2 fluid head and the 055V aluminum tripod.

TRIPOD FEATURES

The carbon fiber and aluminum VIEW tripods share the common features of having four different leg angle options to achieve lower heights; foam rubber padding to protect your hands against the heat and cold; and quick-action leg locks to quickly and quietly set the tripod into position. In addition the carbon fiber and aluminum tripods feature non-glare finishing: the carbon fiber has a natural dark grey finishing, whereas the aluminum is painted with a dark green color.



Four different leg angles (25°, 43°, 73°, 90°).



Two foam rubber leg grips for cold weather use.



Quick-action leg lever lock.



Kit accessories



SHORT COLUMN 055CCSB SHORT COLUMN 190CCSB

To improve the positioning flexibility of our tripods, a shorter center column is now available as an accessory which can be ordered separately. If you need to work with legs set at the third angle of inclination (about 60°) but still require the possibility to move the camera up and down to achieve perfect adjustment for the shot, this shorter column can replace the one supplied with the tripod. The lengths are 6.9in for the 055CCSB and 6.5in for the 190CCSB.

190CCSB for the following kits: 700RC2,190MFV; 700RC2,190V; 701RC2,190MFV; 701RC2,190V.

055CCSB for the following kits: 700RC2,055MFV; 700RC2,055V; 701RC2,055MFV; 701RC2,055V.



RUBBER/ STAINLESS STEEL SPIKED FEET

440SPK2
190SPK2N
441SPK2
055SPK2

Reversible rubber/metal spiked feet (set of 3) supplied with a dedicated fixing tool. The spike is made of a special hard anodized aluminum alloy extremely resistant to corrosion.

440SPK2 for the following kits:
700RC2,190MFV; 701RC2,190MFV

190SPK2N for the following kits:
700RC2,190V; 701RC2,190V

441SPK2 for the following kits:
700RC2,055MFV; 701RC2,055MFV

055SPK2N for the following kits:
700RC2,055V; 701RC2,055V



SUCTION CUP/RETRACTABLE SPIKED FEET

440SCK2
190SCK2N
441SCK2
055SCK2

Rubber suction cup feet (set of 3) with retractable stainless steel spikes. The suction cup increases the footprint of the tripod by almost 20 times, giving much greater stability when needed. The foot can be removed and replaced at will.

440SCK2 for the following kits:
700RC2,190MFV; 701RC2,190MFV

190SCK2N for the following kits:
700RC2,190V; 701RC2,190V

441SCK2 for the following kits:
700RC2,055MFV; 701RC2,055MFV

055SCK2N for the following kits:
700RC2,055V; 701RC2,055V



LONG SET BRACKET 3421

Specifically developed for use with very long lenses or scopes on monopods or tripods. Key features: friction base enables panning with the bracket; two rubber hand grips; rubber protection to prevent damage to lens when tilted to maximum, variable (three step) center height adjustment.



UNIVERSAL "ANTI TWIST" SPOTTING SCOPE PLATE 200USS

This adapter plate has been designed specifically to eliminate unwanted rotation of the spotting scope during viewing. Its universal design means it can be used to mount all makes of spotting scope, no matter what their foot shape (square, rectangular, trapezium), on the heads 700RC2 and 701RC2. The adapter is made from machine-tooled aluminum with a black anodized finish. In addition to the standard 1/4" screw, it has two grub screws to lock the spotting scope securely in position.





MONOPODS

The monopod is an important part of every photographer's support equipment. Besides the tripod, the monopod is the best way to hold a camera in situations where space is limited, the quantity and weight of the equipment carried on location needs to be kept to a minimum, or set-up speed is needed. Correctly handled, the monopod supplies all the camera support you are likely to need even for long lenses. Just look at the press and sports photographers - they would not bother with them if they did not get results!



676B



695



680B



694

DIGI MONOPOD 676



18.9in 60.6in 0.88lbs 9.9lbs

What's even more compact, even lighter, even quicker to set up than a DIGI tripod? A DIGI monopod! When you don't need the total "hands-free" support of a tripod, a monopod is a convenient shoulder to lean on. Four-section, lightweight monopod with rapid action extension locks for compact spotting scopes. 1/4" fixing screw.

COMPACT MONOPOD 680B



20.1in 60.6in 1.8lbs 22.1lbs

Four-section monopod featuring sure rubber grip, wrist carrying strap, quick-action lever leg lock system with 45° run, large 2.4in camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.

MAGFIBER MONOPOD 5 SECTION 695



18.1in 63in 1.3lbs 11lbs

Five-section, lightweight carbon fiber and magnesium locking collars monopod. Extremely compact with a minimum length for transportation of 18.1in. Four leg extensions allow the monopod to be rapidly extended to a maximum height of 63in. The monopod is equipped with rapid action extension locks, a wrist strap and a camera platform with dual 1/4" and 3/8" camera fixing screw.

MAGFIBER MONOPOD 4 SECTION 694



20.9in 65in 1.3lbs 11lbs

Four-section, lightweight carbon fiber and magnesium locking collars monopod. Ideal for sporting events, allowing the photographer to shoot over the heads of everyone. The monopod has rapid action extension locks, a wrist strap and a camera platform with dual 1/4" and 3/8" camera fixing screw.

MONOPOD ACCESSORIES

UNIVERSAL FOLDING BASE 678



0.9lbs 30.9lbs



This unique accessory allows you to add a base made of three foldable high strength steel legs to the monopods 679B, 680B, 681B. After using them the legs can be folded and stored inside the bottom section of the monopod yet ready in a few seconds when needed.

MONOPOD BELT POUCH 3247

Worn on a belt, this easy-to-use pouch offers support for the base of a monopod.



MONOPOD QUICK RELEASE TILT TOP 3229



2.4in 0.6lbs 5.5lbs 3157N

Simple tilt head with quick release camera plate system and tilt secondary safety lock.



MINI BALL HEAD WITH RC2 RAPID CONNECT SYSTEM 484RC2



3.7in 0.7lbs 8.8lbs 3157N

This versatile head is fitted with a quick release 3157N camera plate system with a secondary safety catch. Head to tripod/monopod attachment is 3/8" female.



681B



679B

PROFESSIONAL MONOPOD 681B

- 
26.4in
- 
63.4in
- 
1.7lbs
- 
26.5lbs

Robust three-section monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 2.4in camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.

MONOPOD 679B

- 
25.2in
- 
63.8in
- 
1.3lbs
- 
22lbs

Three-section monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 2.4in camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.



685B



682B

NEOTEC PRO PHOTO MONOPOD 685B

- 
29.3in
- 
67in
- 
1.8lbs
- 
17.6lbs

The fastest monopod in the world! The 685B features the innovative Neotec rapid opening and closing mechanism – just pull the leg downwards to open and it automatically locks in any position, with no screws, knobs, or levers to tighten or loosen. Then to fold it back up again simply release the safety latch and pull the trigger and push the leg closed. A convenient rubber pedal attached to the bottom section allows you to open the monopod without having use your other hand. It's 'upside-down' leg construction also prevents water or mud from entering the monopod and a padded leg-warmer protects your hands from hot and cold weather.

SELF-STANDING PRO MONOPOD 682B

- 
29.1in
- 
67.7in
- 
2.4lbs
- 
26.5lbs

All the features of the professional monopod 681 with a handy addition of three retractable legs. Dual 1/4" - 3/8" coaxial camera fixing screw.



SPIKED FOOT FOR MONOPOD 3257

Converts 679B, 680B and 681B series monopods' rubber foot to a spiked foot.



676SP2
695SP2
449SP2

RUBBER/STAINLESS STEEL SPIKED FOOT

Reversible rubber/metal spiked foot supplied with a dedicated fixing tool. The spike is made of a special hard anodized aluminum alloy extremely resistant to corrosion.

676SP2: for monopods 679B and 680B.

695SP2: for monopod 695.

449SP2: for monopods 676B and 694.



676SC2
695SC2
449SC2

SUCTION CUP/RETRACTABLE SPIKED FOOT

A rubber suction cup foot with retractable stainless steel spike. The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed.

676SC2: for monopods 679B and 680B.

695SC2: for monopod 695.

449SC2: for monopod 694.



SUCTION CUP/RETRACTABLE SPIKED FOOT 677SC

A rubber suction cup foot with retractable stainless steel spike. The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed.

For monopod 681B.



Alternative supports



COLUMN CLAMP 3424

This versatile clamp works with the removable center columns of the tripod. The clamp can be securely fixed to solid surfaces, bars or pipes from 0.39in up to 2.1in height/diameter.



SUPER CLAMP 2900

This universal clamp can be securely mounted on any tube from 0.5in to 2.1in. Supplied with ratchet lever. Attachment is 5/8" hexagonal socket.



CAR WINDOW POD WITH BALL HEAD 234RC,243

Clamps to a window or narrow sill to allow you to attach a lightweight scope. The window pod is also available without head: order code 3292.



BINOCULAR SUPER CLAMP 2893

Allows your tripod/head combination to securely support binoculars.



DOUBLE BALL TILT HEAD 155RC



Not strictly a tripod head, but an extremely versatile camera support used in conjunction with Super Clamp 2900. Supplied with quick release camera plate and secondary safety lock.



MAGIC ARM WITH QUICK RELEASE PLATE 2930QR



Your extra arm in the studio. One lever locks three pivot points. Supplied with a quick release camera plate with secondary safety lock based on the 3157N system. Ideal for mounting a camera or a camcorder exactly at the angle you need it. Fits any 5/8" female sockets, works especially well with 2900 Super Clamp.



VARIABLE FRICTION ARM WITH QUICK RELEASE PLATE 2929QR



Articulated arm with large locking knob. Variable friction and locking of arm obtained by adjusting the knob. Supplied with quick release camera plate with secondary safety lock based on the 3157N camera plate mechanism. Ideal for mounting a photographic or video camera exactly at the angle you need it. Fits any 5/8" female socket, works especially well with 2900 Super Clamp.

Straps and bags



LONG STRAP 3044

The 3044 strap is a basic but convenient way to carry your kit. It has a spring clip that fastens quickly to the steel ring at the shoulder of the tripod, and a closed loop that goes around the feet of the tripod and tightens to grip them securely. Features an adapter for compatibility with all Manfrotto tripods and rubberised fabric for comfort and to prevent the tripod from slipping off your shoulder.



LONG STRAP GREEN 102NAT

Same as 3044, but in green rubberized fabric to match our birdwatching and nature photography range.



LONG STRAP 3044NAR

Same as 3044, but made with a narrower black rubberized fabric (1.6in width instead of 2in).



SHORT STRAP 3044TSB

The 3044TSB is a simple loop strap, with a single spring clip that attaches quickly to the steel ring at the shoulder of your tripod. Features an adapter for compatibility with all Manfrotto tripods. Strap is in grey rubberised fabric for comfort and to prevent the tripod from slipping off your shoulder.



SHORT STRAP GREEN 402NAT

Same as 3044TSB, but in green rubberized fabric to match our birdwatching and nature photography range.



SHORT STRAP 3447

Same as 3044TSB, but made with a narrower black rubberized fabric (1.6in width instead of 2in).



NEW QUICK ACTION STRAP 401N

The perfect companion for walkers, cyclists, and birdwatchers on the move. Just secure to one of your tripod legs, bind the remaining legs using the adjustable quick release straps, sling the tripod over your shoulder and you're ready to go, with your hands free to grab those vital last minute items. The strap stays attached to your tripod at all times, so you're always ready to shoot, but also always ready to move.

BUCKET BACK PACK 540BB

The bucket back pack is specifically designed for birdwatchers and is more convenient than having to carry your tripod/head in your hand or on your shoulder, which makes it especially useful on longer journeys or on wilder terrain. Because you still need to know that you can release the tripod, set up and view in a few seconds, the bucket back pack is designed to hold the tripod/head with spotting scope attached. As shown above, the scope is cradled in the lower part of the back pack where its weight is better supported and less likely to swing off-balance and hurt you. The legs extend up your back and are firmly tied in position.



PADDED TRIPOD BAG 31.5IN MBAG80P

A padded carrying bag designed to protect your support equipment in all conditions. The Manfrotto bags feature the following:

- Asymmetric tapered shape allows you to store the tripod with the head attached.
- Quick-access padded top flap allows you to easily remove the tripod without having to unzip the entire bag, much like a quiver.
- Inner pockets hold accessories such as extra plates and lens caps
- Ballistic nylon, zippers and other materials are of the highest quality
- Can be hand-carried horizontally by the side handles, or vertically over the shoulder



UNPADDED TRIPOD BAG 27.6IN MBAG70

Same as MBAG80P but slightly smaller and unpadded.

| Art N° | Description | Page |
|-----------|---|------|
| 055CCSB | SHORT COLUMN | 08 |
| 055SCK2 | SUCTION CUP/RETRACTABLE SPIKED FEET | 08 |
| 055SPK2 | RUBBER/STAINLESS STEEL SPIKED FEET | 08 |
| 102NAT | LONG STRAP GREEN | 14 |
| 155RC | DOUBLE BALL TILT HAEAD | 13 |
| 190CCSB | SHORT COLUMN | 08 |
| 190SCK2N | SUCTION CUP/RETRACTABLE SPIKED FEET | 08 |
| 190SPK2N | RUBBER/STAINLESS STEEL SPIKED FEET | 08 |
| 200USS | UNIVERSAL "ANTI TWIST" SPOTTING SCOPE PLATE | 08 |
| 234RC,243 | CAR WINDOW POD WITH BALL HEAD | 13 |
| 2893 | BINOCULAR SUPER CLAMP | 13 |
| 2900 | SUPER CLAMP | 13 |
| 2929QR | VARIABLE FRICTION ARM WITH QUICK RELEASE PLATE | 13 |
| 2930QR | MAGIC ARM WITH QUICK RELEASE PLATE | 13 |
| 3044 | LONG STRAP | 14 |
| 3044NAR | LONG STRAP | 14 |
| 3044TSB | SHORT STRAP | 14 |
| 3229 | MONOPOD QUICK RELEASE TILT TOP | 10 |
| 3247 | MONOPOD BELT POUCH | 10 |
| 3257 | SPIKED FOOT FOR MONOPOD | 11 |
| 3421 | LONG SET BRACKET | 08 |
| 3424 | COLUMN CLAMP | 13 |
| 3447 | SHORT STRAP | 14 |
| 401N | NEW QUICK ACTION STRAP | 14 |
| 402NAT | SHORT STRAP GREEN | 14 |
| 440SCK2 | SUCTION CUP/RETRACTABLE SPIKED FEET | 08 |
| 440SPK2 | RUBBER/STAINLESS STEEL SPIKED FEET | 08 |
| 441SCK2 | SUCTION CUP/RETRACTABLE SPIKED FEET | 08 |

| Art N° | Description | Page |
|---------------|---|------|
| 441SPK2 | RUBBER/STAINLESS STEEL SPIKED FEET | 08 |
| 449SC2 | SUCTION CUP/RETRACTABLE SPIKED FOOT | 11 |
| 449SP2 | RUBBER/STAINLESS STEEL SPIKED FOOT | 11 |
| 484RC2 | MINI BALL HEAD WITH RC2 RAPID CONNECTOR SYSTEM | 10 |
| 550BB | BUCKET BACK PACK | 14 |
| 676 | DIGI MONOPOD | 10 |
| 676SC2 | SUCTION CUP/RETRACTABLE SPIKED FOOT | 11 |
| 676SP2 | RUBBER/STAINLESS STEEL SPIKED FOOT | 11 |
| 677SC | SUCTION CUP/RETRACTABLE SPIKED FOOT | 11 |
| 678 | UNIVERSAL FOLDING BASE | 10 |
| 679B | MONOPOD | 11 |
| 680B | COMPACT MONOPOD | 10 |
| 681B | PROFESSIONAL MONOPOD | 11 |
| 682B | SELF-STANDING PRO MONOPOD | 11 |
| 685B | NEOTEC PRO PHOTO MONOPOD | 11 |
| 694 | MAGFIBER MONOPOD 4 SECTION | 10 |
| 695 | MAGFIBER MONOPOD 5 SECTION | 10 |
| 695SC2 | SUCTION CUP/RETRACTABLE SPIKED FOOT | 11 |
| 695SP2 | RUBBER/STAINLESS STEEL SPIKED FOOT | 11 |
| 700RC2,055MFV | VIEW CARBON FIBER KIT | 05 |
| 700RC2,055V | VIEW ALU KIT | 05 |
| 700RC2,190MFV | VIEW CARBON FIBER KIT | 04 |
| 700RC2,190V | VIEW ALU KIT | 04 |
| 701RC2,055MFV | VIEW CARBON FIBER KIT | 07 |
| 701RC2,055V | VIEW ALU KIT | 07 |
| 701RC2,190MFV | VIEW CARBON FIBER KIT | 06 |
| 701RC2,190V | VIEW ALU KIT | 06 |
| MBAG70 | UNPADDED TRIPOD BAG 27.6IN | 14 |
| MBAG80P | PADDED TRIPOD BAG 31.4IN | 14 |





Manfrotto



bogen imaging

Bogen Imaging Inc

565 East Crescent Avenue, Ramsey, NJ 07446

Tel.: (201) 818-9500 - Fax: (201) 818-9177

Service only: (201) 818-0060

www.bogenimaging.us - E-mail: info@bogenimaging.com

Wildlife images by Trevor Codlin, Paul Hackett, Daniele Macale and Fabiano Ventura.

© Gruppo Manfrotto 2005

Whilst every effort has been made to ensure that the information contained within this catalogue is correct, Gruppo Manfrotto srl accepts no liability for errors or omissions. Technical specifications and data are provided for guidance only. All rights are strictly reserved. Products shown in this catalogue are protected by international patents, while this publication (in whole or in part) without written consent from Gruppo Manfrotto srl is strictly forbidden and punishable by law. Because we constantly aim to improve our products, we reserve the right to amend or alter at any time and without prior notice the specifications of any item detailed in this publication.

ISSUE CODE LNORDBW05,L ISSUE NUMBER N°1 - 05/05
LIT NUMBER: 54